Application for the appointment of guardian to the persons (minor wards) of (1) Basavarajaiah, 12 years, (2) Gurubasaiah, 12 years.

The petitioner abovenamed having applied to be appointed as guardian of the persons of the aforesaid minors, the 27th day of June 1952 has been fixed for the hearing of the application, and notice is hereby given to the public that if any other relative, friend, kinsman or well-wisher of the abovesaid minors is desirous of being appointed or declared as guardian to the persons of the said minors he should enter appearance in person in this Court on the aforesaid date, and be prepared to adduce on that day any documentary or oral evidence he may desire to adduce in support of his claim to such appointment or declaration.

Given under my hand and the seal of the Court this 11th day of June 1952.

V. RAMASWAMY,
329 *Munsiff.*

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Dated 4th June 1952.

To

The firms dealing in Pump Sets.

Enquiry No. 10982.

Subject :—75 H.P. Pump Sets for C.J.F., Bangalore.

Gentlemen,

No. S.P.C. 8698-718. Please refer to the enquiry mentioned above and note the following corrections :—

Read A.C.-3 phase-50 cycles-4,400 Volts for No. (8) of the Schedule.

The pump sets have to work all the twenty-four hours in a day.

The closing date is extended up to 20th July 1952.

This supersedes the previous notice fixing the closing date as 26th June 1952.

2019

Dated 4th June 1952.

To

The Firms dealing in G. I. Pipes.

Dear Sir/Gentlemen,

Enquiry No. 11029.

Sub:—G. I. Pipes for Tungabhadra Valley Circle.

No. S.P.C. 9034-49. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for G. I. Pipes for Tungabhadra Valley Circle" with the above enquiry number.

This enquiry will be closed on the 30th June 1952.

SCHEDULE.

Sl. No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1.	G. I. Pipes 3/4"	... 2,000 RFT.	Shimoga	Immediate delivery from ready stock.
2.	G. I. Pipes 2"	... 1,500 RFT.		
3.	G. I. Pipes 3"	... 1,000 RFT.		

N.B.—1. Quotations with firm prices and from ready stocks will be preferred.
2. Sales-tax should be quoted separately.
3. No enhancement of prices will be allowed after the acceptance of the tender.
4. Quotations will be opened at 2-00 P.M. on the next working day after the closing date of the Enquiry.
5. You should quote the rates both in figures and word .

1974b

Dated 4th June 1952.

To

The Firms dealing in Hardware.

Enquiry No. 11030.

Subject :—Articles required for laying pipes for Water Supply to the Machine Tool Factory.

Gentlemen,

No. S.P.C. 9008-9033. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being mad e at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Articles for laying pipes to Machine Tool Factory" with the above enquiry number.

This enquiry will be closed on the 3rd July 1952.

SCHEDULE.

		Quantity required	Price quoted F.O.R.
1	9" C.I. Sluice valve B. Class. C.I. body cover with C.I. cap bronze working parts fitted with solid brass rod spindles tested to 600' head of water as per I.S.D. Specification to open clockwise.	3	Bangalore.
2	6" C.I. valves do do ...	2	
3	3" C.I. valves do do ...	3	
4	6" Water meter with strainer ...	1	
5	3" double ball Air valve with control stop valve	3	

SPECIFICATIONS.

(1) C.I. Sluice Valves. Valves to be of double flanged type. Body and cover to be of good cast iron. Spindle and nut to be of good quality rolled brass or gun metal. All the working parts to be of bronze.
Working Head—200 ft. of water. Test pressures 600 feet. Valve to open clockwise. Cast iron cap to be fitted on to the top of the spindle. Holes in the flanges to be drilled to suit B.S.S. Class C.

(2) Double Ball Air Valve :—Working head 200 ft. of water. The air valve to be of double ball type with central stop valve which should close clockwise. Holes in the flange to be drilled to suit B.S.S. Class C.

(3) 6" Water Meter :—The water meter to be of 6" size with flanges on either ends. A dirt Box or Strainer with copper mesh with flanges on either end should be supplied. The dial to be of circular type. The rate of flow varies from 0·1 M.G.D. to 1 m.g.d. All the working parts to be of bronze. Arrangements should be provided for sealing and locking the meter dail and cap.

N.B.—1. Sales-Tax, if any, should be quoted separately.
2. Quotations with firm prices are preferred.
3. Quotations will be opened at 2 p.m. on the next working day after the closing date.

1973c

Dated 4th June 1952.

To

The Firms dealing in Hardware materials.

Enquiry No. 11033.

Subject :—1/6" Lead Sheets for Radiology Block, Krishnarajendra Hospital.

Gentlemen,

No. S.P.C. 9050-75. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below :—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Lead Sheets for Krishnarajendra Hospital" with the above enquiry number.

This enquiry will be closed on the 25th June 1952.

The Enquiry No. 10937 stands cancelled.

SCHEDULE.

	F.O.R. Mysore. Quantity
1. Lead Sheets 1/6" thickness or 4. m. m. ...	3,260 Sq. ft. from ready stock.

1973a

Dated 5th June 1952.

To

The Firms dealing in Centrifugal pumps.

Enquiry No. 11031.

Subject:—Pumping Equipment for Hydraulic Research Station, Krishnarajasagar.

Gentlemen,

No. S.P.C. 8982-9007. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below:—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pumping Equipment for Hydraulic Research Station, Krishnarajasagar" with the above enquiry number.

This enquiry will be closed on the 7th July 1952.

SCHEDULE.

F. O. R. Krishnaraja sagar.

I. One 20 H. P. electrically driven pump set. ... One

1. One 20 H. P. Motor (Squirel cage type) and pump direct coupled 6"x5" suction and delivery with switch, starter and gear complete with the following accessories to give a charge of 990 gallons/min. against a total head of 40 ft.
2. 20 r. ft. 6" pipe for suction flexible with 2 bends 6" size and 6" foot valve with strainer and flange.
3. 200 r. ft. 5" pipe for delivery side with one flange (Nos. 4) 5" bend and venturi tube for delivery side, with one 5" control valve.
4. To run on 440 volts, 3 phase 4 wire (a) 50 cycles (b) 25 cycles A. C.
5. Motor and pump on the same bed to be mounted on trolley with solid rubber tyres for movement in the work area. One

II. One 10 H.P, Electrically driven pump set.

(1) One 10 H. P. motor and pump direct coupled 5"x4" suction and delivery with switch, starter and gear complete to give a discharge of 600 gals/min. against a head of 35 ft. with the following accessories.
(2) 20 r. ft. 5" pipe for suction flexible with 2 bends 5" size and 5" foot valve with strainer and flange.
(3) 200 r ft. 4" pipe for delivery side with one flange (Nos. 4) 4" bends and venturi tube for delivery side with one 4" control valve.
(4) To run on 440 v lts. 3 phase 4 wire and (a) 25 cycles (b) 60 cycles A.C. (5) Motor and pump on the same bed to be mounted on trolley with solid rubber tyres for movement in the work area.

N.B.—1. The Quotations with firm prices will be preferred,
3. Sales-tax if any should be quoted separately.
4. Quotations will be opened at 2 P.M. on the next working day of the due date.

1973b

Dated 6th June 1952.

NOTICE.

Enquiry No. 10999.

Sub:—Medicines and Drugs required for the year 1952-53.

No. S.P.C. 9279-319. Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Medicines and Drugs upto 16th July 1952.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 20 only which is the price fixed for a set of forms and which is not refundable.

Cheques, postal orders and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

1974

Dated 7th June 1952.

NOTICE.

Enquiry No. 11017.

Subject:—Supply of Gates for Nugu Reservoir Division.

No. S.P.C. 9499-502. In continuation of this office Notice Memo No. S.P.C. 8072-75, dated 30th May 1952, stating that priced tender forms (at Rs. 20 per set) are for sale, the intending tenderers are hereby informed that the closing date of the tender is 1st July 1952.

1973

Dated 7th June 1952.

To

The firms dealing in Plant and Machinery.

Gentlemen,

Enquiry No. 10580.

Subject:—Supply of Plant and Machinery required for the Mysore Implements Factory, Hassan.

No. S.P.C. 9397-427. Further to this office Circular No. 57500-525, dated 27th March 1952, it may be noted that the closing date of the above enquiry has been extended to 7th July 1952 from 7th June 1952.

Those who have already submitted their quotations may indicate changes, if any, on their letterheads and they need not again purchase the tender forms.

2019 a

Dated 7th June 1952.

To

The Firms dealing in Pump sets.

Enquiry No. 11034.

Subject:—Pumpset required for the Soldevanhalli Pumping Station, Bangalore.

Gentlemen,

No. S.P.C. 9348-373. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned scheduled, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pump sets" with the above enquiry number.

This enquiry will be closed on the 24th July 1952.

SCHEDULE.

F.O.R. Bangalore.

PUMP SET.

CAPACITY.—

Each pump to pump one and a half million gallons of unfiltered water against a total head of 50) feet from all causes working all the 24 hours a day.

TYPE.—

Pump should be of the horizontally split casing. Motor to be of squirrel cage induction type totally enclosed drip proof and tropically insulated. The pump and motor should be mounted a common cast iron bed plate and connected by means of a flexible couplings.

ACCESSORIES.—(a) Pump.

1.	Foot valve with strainer ...	... One
2.	Delivery valve ...	... ,,
3.	Non return valve ...	... ,,
4.	Pressure gauge 0 to 800 ft. ...	... ,,
5.	Vacuum gauge ...	... ,,
	(b) MOTOR.—	
1.	Starting equipment ...	... One set.
2.	Spanners ...	... ,,
3.	Ammeter ...	... One
4.	Volt-meter ...	... ,,